



Tommaslide 300

Straight sliding door system

Tommaslide 300 is a modern, top hung sliding door system that can be operated with an effortless touch, producing a consistent smooth operation throughout the product lifetime for panels weighing up to 300kg.

The Tommaslide 300 can be Soffit fixed to your door frame or Face fixed to the side of your wall. All Tommaslide rollers are tested to 100,000 cycles and come with a 10 year warranty.

- Maximum door panel weight: 300kg
- Minimum door thickness: 30mm

Maximum door panel weight of 300kg.

Top hung

Full technical support

Soffit fixed or face fixed



Simple adjustment system

FastFix or Full Height brackets


10 Year warranty

On all Tommaslide rollers

Door bracket choices



Typical panel configurations



Fastfix Kit components - Code: TS300FFD

High impact door stop



x 2

Code: TS300DS

4 Wheeled door hanger



x 2


Code: TS300H

FastFix bracket



x 2

Code: TS-FFB



Screws are included in kit - TS-FFB-SC | Spanner is also included - TS-SPAN-PRES

Full Height Kit components - Code: TS300FHD

High impact door stop



x 2

Code: TS300DS

4 Wheeled door hanger



x 2


Code: TS300H

Full Height bracket



x 2


Code: TS-FHDB



Screws are included in kit - TS-FFB-SC | Spanner is also included - TS-SPAN-PRES

Top track Satin Aluminium

Length	Code
2 Metre	92-TT2000-SAA
3 Metre	92-TT3000-SAA
4 Metre	92-TT4000-SAA
6 Metre	92-TT6000-SAA



Face fixing



Single track fixing: TS200SB



Double track fixing: TSFFB


Face fixing bracket
Single and Double
(optional extra)



Soffit
fixing

Bottom track Satin Aluminium


Length	Code
2 Metre	10-60-BT2000-CA
3 Metre	10-60-BT3000-CA
4 Metre	10-60-BT4000-CA
6 Metre	10-60-BT6000-CA



Tommaslide 300 specification

Bottom guides

Single bearing guide




Code: TS-SBG

Single guide



Code: TS-NG


Floor guide




Code: TS-FG
To suit doors between
30 & 60mm

Bottom guide options

Single bearing guide



Single guide



Floor guide
To suit doors between
30 & 60mm

