



ProSlide 18

Wardrobe Sliding Door System

ProSlide 18 is a complete sliding door system including tracks, fittings and aluminium profiles designed for 18mm centre panels.

This system is bottom rolling and guided at the top, which is perfect where large light weight doors are required.

The ProSlide 18 is a double track, bypassing system enabling multiple doors to slide past each other.

Maximum Door Panel Weight of 50kg.

Featuring High Quality Components

Full Technical Support

Hassle Free Door Solution

Adjustable Sliding Solution

Suitable for Inset Doors

Frame Sliding System


Soft Close

2 Year
Warranty

Easy to Fit and Suitable For Interior Applications



ProSlide 18 Components





(A) 3 Metre Top Track
Code: 500-101-3



(B) 3 Metre Bottom Track
Code: 500-109-3




(C) 3 Metre Bottom Track Masking Frame Cover Cap
Code: 500-110-3





(D) Bottom Roller
Code:500-202




(E) Top Roller
Code: 500-201




(F) 3 Metre Top Frame/Roller Housing Profile
Code: 500-321




(G) 2.7 Metre Side Handle Housing Profile
Code: 500-418



(H) 3 Metre Bottom Frame/Roller Housing
Code: 500-320



(I) 3 Metre Middle Panel Connector
Code: 500-419



(J) 3 Metre Bolt-on Middle Panel Connector
Code: 500-319



(M) Fitting Bolts
Code: 500-203



(N) Soft Open & Close
Code: 500-204




Drilling Tool
Code: 500-208



Two-Step Drill Bit
Code: 500-207


ProSlide 18 Specifications

Components Guide




Specification

- Maximum Door Panel Weight: 50kg
- Panel Thickness: 18mm




Soft open and closer for left + right doors

Code: 500-204




ProSlide 18 Configurations

Door configurations



Calculations



Track Length = Opening Width
Door Height = Opening Height - 50mm
Overlap Width = 30mm

Profile size calculations	Infill panel dimensions
Top door profile = Door width - 55mm	Panel size = door width - 31mm x door height - 69mm
Horizontal centre rail = Door width - 55mm	Where 2 or more infill panels are being used reduce height by 1mm - 2mm for every horizontal middle panel connector rail used.
Lower door profile = Door width - 55mm	When using the horizontal bolt-on middle panel connector rail the dimensions of the connector rail must be taken into account.
Handle height = Door height	
Buffer strip = Door height	
Dust seal = Door height - 30mm	