




ConcealX


Pocket Sliding Door System
For Single Leaf Doors



Concealed, sliding pivot pocket door system. Perfect for wardrobes, offices or kitchens.

This system is ideal for apartments or situations where space is at a premium. To be used in single door applications.

Kits






ConcealX Specification

- **Door Heights and Weights:** 1200 - 1400mm = 30kg, 1990 - 2200mm = 30kg, 2200 - 2700mm = 50kg
- **Door Thickness:** 18 - 30mm
- **Door Width:** 200 - 700mm
- **Cabin Depth Options:** depth 1 = 560mm, depth 2 = 665mm

Examples


Depth 1/560mm:

Using depth 1 kits




Depth 1/560mm:

Using depth 1 kits



Depth 2/665mm:

Example applications using depth 1 kits





Depth 1 Kit - 560mm	
Description	Code
1 Door kit 1200-1400mm	700-500
1 Door kit 1990-2200mm	700-501
1 Door kit 2200-2700mm	700-502

Depth 2 Kit - 665mm	
Description	Code
1 Door kit 1200-1400mm	700-503
1 Door kit 1990-2200mm	700-504
1 Door kit 2200-2700mm	700-505



Accessories	
Description	Code
Side panel converter kit	700-604
Self closing mechanism	700-610
Central pocket connector kit	700-600

Can be used for inlay, overlay or built in applications as illustrated below in various solutions.

With Inlay Doors





With Overlay Doors Top and Bottom



With Built-in Unit


Can be mounted in wall recess.



With Central Pocket for Two Doors


Max panel thickness 25mm for this application.

Use **700-600** Kit Connector




Optional Accessories

Side Panel Connector Kit 700-604



Self Closing Mechanism 700-610





runners
SLIDING SYSTEMS

ConcealX Folding

Pocket Sliding Door System
For Double Leaf Doors



Maximum door panel
weight of 60kg.



Featuring high
quality
components



Full technical
support




Adjustable Door
Ejection System



Pre-assembled
System




Smooth gliding
action when
operating



One door
system
= 1 - kit

Two door
system
= 1 - kit



Depth 1 Kit - 665mm min

Description	Code
1 Pair folding kit 1200-1400	750-500
1 Pair folding kit 1990-2200	750-501
1 Pair folding kit 2200-2700	750-502

Depth 2 Kit - 805mm min

Description	Code
1 Pair folding kit 1200-1400	750-503
1 Pair folding kit 1990-2200	750-504
1 Pair folding kit 2200-2700	750-505




ConcealX Specification


- Door heights and weights: 1200 - 1400mm = 30kg, 1990 - 2200mm = 60kg, 2200 - 2700mm = 60kg
- Door thickness: 18 - 30mm
- Door width: 200 - 700mm
- Cabin depth options: depth 1 = 665mm, depth 2 = 805mm

Optional Accessories: Enhance your concealed sliding door system

Adjustable door support pin (Optional)
750-510




Door support pin (Optional)
750-511




Accessories	
Description	Code
Adjustable support pin	750-510
Door support pin	750-511
Side panel connector	750-512
Magnet kit	750-513
Cover plate 1200-1400	750-514
Cover plate 1990-2200	750-515
Cover plate 2200-2700	750-516

Adjustable covering plate support pin (Optional)
750-514




Side panel connector (Optional)
750-512



Set of 4 magnets for holding leaves together when open

(Optional)
700-513



To suit door height	Code
1200-1400	750-514
1990-2200	750-515
2200-2700	750-516