




The Evo Pocket door system suits both 100 and 125mm walls. It completely adjustable, smooth rolling and can create additional space in any room.

The Evokit sub frame for plasterboard walls offers great advantage: convenience, simplified maintenance. The Evo is to be finished using architrave around the door frame.



## Evo Pocket Door Kit

Single or Double Sliding Door System



### Kit Components



Easy to construct hot-dip galvanised slat panel frame



Door Roller Kit



Door Guide



Door Stop



Rubber Stopper

### Optional Accessories



Softclose  
80kg capacity




Push to Close  
Buffer

Push to Close Buffer to be installed at the rear of the pocket door to aid the closing of the door with its spring pistons.



# Evo Pocket Door Kit Specification

- Kits Come with Both 100mm and 125mm Wall Fittings
- Easy to Construct Hot-dip Galvanised Frame
- Material Quality DX51Z100 with 0.7mm metal stud thickness
- 10 Micron Anodized AW6060 Aluminium Track
- 120Kg Trolleys Guaranteed for: 100,000 cycles



## Accessories

### Single Door System


| Code      | Opening L x H | Door L1xH1 | L   | B   | C    | HT   |
|-----------|---------------|------------|-----|-----|------|------|
| PD6101981 | 580 x 1970    | 610 x 1981 | 580 | 620 | 1290 | 2060 |
| PD6861981 | 660 x 1970    | 686 x 1981 | 660 | 700 | 1470 | 2060 |
| PD7621981 | 740 x 1970    | 762 x 1981 | 740 | 780 | 1650 | 2060 |
| PD8381981 | 810 x 1970    | 838 x 1981 | 810 | 850 | 1720 | 2060 |
| PD7262040 | 700 x 2030    | 726 x 2040 | 700 | 740 | 1510 | 2120 |
| PD8262040 | 800 x 2030    | 826 x 2040 | 800 | 840 | 1710 | 2120 |
| PD9262040 | 900 x 2030    | 926 x 2040 | 900 | 940 | 1910 | 2120 |

| Description                | Code   |
|----------------------------|--------|
| 100mm Timber Jamb kit      | PDJ100 |
| 125mm Timber Jamb kit      | PDJ125 |
| Soft closing kit max 40kg  | PDSEKS |
| Self closing kit max 50kg  | PDSEKS |
| Glass doors conversion kit | PDGDK  |
| 1m Under guide             | PDGP   |
| Push to Open Buffer        | PDPL   |

# Evo Pocket Door Kit

## Double Sliding Door System

The Evo double pocket door kit is made up from two single pocket door kits joined together in the middle with the joint kit.



| Opening L x H | Door L1xH1 | L    | B   | C    | HT   |
|---------------|------------|------|-----|------|------|
| 1160 x 1970   | 610 x 1981 | 1160 | 620 | 2580 | 2060 |
| 1320 x 1970   | 686 x 1981 | 1320 | 700 | 2940 | 2060 |
| 1480 x 1970   | 762 x 1981 | 1480 | 780 | 3300 | 2060 |
| 1620 x 1970   | 838 x 1981 | 1620 | 850 | 3440 | 2060 |
| 1400 x 2030   | 726 x 2040 | 1400 | 740 | 3020 | 2120 |
| 1600 x 2030   | 826 x 2040 | 1600 | 840 | 3420 | 2120 |
| 1800 x 2030   | 926 x 2040 | 1800 | 940 | 3820 | 2120 |

**Double Door System**  
Order 2 x single door kits and link together

| Description                               | Code    |
|-------------------------------------------|---------|
| Joint kit                                 | PDDDJK  |
| Simultaneous opening kit                  | PDSOK   |
| 100mm Timber jamb kit c/w brushes & seals | PDDJ100 |
| 125mm Timber jamb kit c/w brushes & seals | PDDJ125 |