






## Tommaslide 300

### Straight Sliding Door System

Tommaslide 300 is a modern designed top hung sliding door system that can be operated with a weightless fingertip effort, producing a consistently smooth operating lifecycle for panels up to 300kg.

The Tommaslide can be Soffit fixed to your door frame or Face fixed to the side of your wall. All Tommaslide rollers are tested to 100,000 cycles and come with a 10 year warranty.

- Maximum Door Panel Weight: 300kg
- Minimum Door Thickness: 30mm thick




## 10 year warranty


on all Tommaslide rollers

## Door Bracket Choices

### Fastfix Bracket




### Fullheight Bracket



# Tommaslide 300 Specification

## Fastfix Kit Components - Code: TS300FFD

High Impact Door Stop



x2

Code: TS300DS

4 Wheeled Door Hanger



x2


Code: TS300H

FastFix Bracket



x2

Code: TS-FFB



Screws are included in kit - **TS-FFB-SC** | Spanner is also included - **TS-SPAN-PRES**

## Fullheight Kit Components - Code: TS300FHD

High Impact Door Stop



x2

Code: TS300DS

4 Wheeled Door Hanger



x2


Code: TS300H

Full Height Bracket



x2



Code: TS-FHDB



Screws are included in kit - **TS-FFB-SC** | Spanner is also included - **TS-SPAN-PRES**

## Top Track Satin Aluminium

Length	Code
2m	92-TT2000-SAA
3m	92-TT3000-SAA
4m	92-TT4000-SAA
6m	92-TT6000-SAA




**Face  
Fixing**

Face Fixing Bracket  
Bolts and Nuts  
Included




Code: TSFFB



**Soffit  
Fixing**

## Bottom Track Satin Aluminium


Length	Code
2m	10-60-BT2000-CA
3m	10-60-BT3000-CA
4m	10-60-BT4000-CA
6m	10-60-BT6000-CA



# Tommaslide 300 Specification

## Bottom Guides

Single Bearing Guide



Code: TS-SBG

Single Guide



Code: TS-NG

Floor Guide




Code: TS-FG


To suit doors between  
30 & 60mm

## Bottom Guide Options

Single Bearing Guide



Single Guide



Floor Guide

To suit doors between  
30 & 60mm

