



ConcealX


Pocket Sliding Door System
For Single Leaf Doors




Concealed, sliding pivot pocket door system.
Perfect for wardrobes, offices or kitchens.

This system is ideal for apartments or
situations where space is at a premium.
To be used in single door applications.


Kits



One Door
System
= 1 - kit



Two Door
System
= 2 - kit



Three Door
System
= 3 - kit






Specification


- **Door Heights and Weights:** 1200 - 1400mm = 30kg, 1990 - 2200mm = 30kg, 2200 - 2700mm = 50kg
- **Door Thickness:** 18 - 30mm
- **Door Width:** 200 - 700mm
- **Cabinet Depth Options:** depth 1 = 560mm, depth 2 = 665mm

Examples


Depth 1/560mm:
Using depth 1 kits



Depth 1/560mm:
Using depth 1 kits



Depth 2/665mm:
Example applications using depth 1 kits




Depth 1 Kit - 560mm	
Description	Code
1 Door Kit 1200-1400mm	700-500
1 Door Kit 1990-2200mm	700-501
1 Door Kit 2200-2700mm	700-502

Depth 2 Kit - 665mm	
Description	Code
1 Door Kit 1200-1400mm	700-503
1 Door Kit 1990-2200mm	700-504
1 Door Kit 2200-2700mm	700-505


Accessories	
Description	Code
Side Panel Converter Kit	700-604
Self Closing Mechanism	700-610
Central Pocket Connector Kit	700-600

Can be used for inlay, overlay or built in applications as illustrated below in various solutions.

With
Inlay
Doors




With
Overlay
Doors Top
and Bottom



With
Built-in Unit


Can be
mounted in
wall recess.



With Central
Pocket for Two
Doors


Use:
700-600
Kit Connector

Max panel
thickness 25mm for
this application.




Optional Accessories

Side Panel
Connector
Kit
700-604





Self Closing
Mechanism
700-610




ConcealX Folding

Pocket Sliding Door System
For Double Leaf Doors




The ConcealX folding system allows you to build wider units up to 2800mm wide with a pair of sliding doors folding into pockets on each side.




The ConcealX is fully softclosing and has a smooth gliding operation.



One door system
= 1 - kit



Two door system
= 1 - kit



Depth 1 Kit - 665mm min	
Description	Code
1 Pair Folding Kit 1990-2200	750-501

Depth 2 Kit - 805mm min	
Description	Code
1 Pair Folding Kit 1200-1400	750-503
1 Pair Folding Kit 1990-2200	750-504
1 Pair Folding Kit 2200-2700	750-505




Specification


- **Door Heights and Weights:** 1200 - 1400mm = 30kg, 1990 - 2200mm = 60kg, 2200 - 2700mm = 60kg
- **Door Thickness:** 18 - 30mm
- **Door Width:** 200 - 700mm
- **Cabinet Depth Options:** depth 1 = 665mm, depth 2 = 805mm

Optional Accessories: Enhance your concealed sliding door system

Adjustable Door
Support Pin (Optional)
750-510




Door Support
Pin (Optional)
750-511




Accessories	
Description	Code
Adjustable Support Pin	750-510
Door Support Pin	750-511
Side Panel Connector	750-512
Magnet Kit	750-513
Cover Plate 1200-1400	750-514
Cover Plate 1990-2200	750-515
Cover Plate 2200-2700	750-516


Adjustable Covering Plate
Support Pin (Optional)
750-514



Side Panel Connector (Optional)
750-512



Set of 4 Magnets for
Holding Leaves Together
when Open
(Optional)
700-513



To suit door height	Code
1200-1400	750-514
1990-2200	750-515
2200-2700	750-516