



Tommaslide 300 is a modern, top hung sliding door system that can be operated with an effortless touch, producing a consistent smooth operation throughout the product lifetime for panels weighing up to 300kg.

The Tommaslide 300 can be Soffit fixed to your door frame or Face fixed to the side of your wall. All Tommaslide rollers are tested to 100,000 cycles and come with a 10 year warranty.

- **Maximum door panel weight:** 300kg
- **Minimum door thickness:** 30 mm

Tommaslide 300

Straight sliding system



Maximum door panel weight of 300kg.



Top hung



Simple adjustment system



Full technical support



Soffit fixed or face fixed




FastFix or Full Height brackets




Runners lifetime warranty*

Door bracket choices


Fastfix Bracket



Full Height Bracket



Typical panel configurations



Fastfix Kit components - Code: TS300FFD

High impact door stop



Code: TS300DS

4 Wheeled door hanger




Code: TS300H

FastFix bracket



Code: TS-FFB



Screws are included in kit - TS-FFB-SC | Spanner is also included - TS-SPAN-PRES

Full Height Kit components - Code: TS300FHD

High impact door stop



Code: TS300DS

4 Wheeled door hanger




Code: TS300H

Full Height bracket




Code: TS-FHDB



Screws are included in kit - TS-FFB-SC | Spanner is also included - TS-SPAN-PRES

Top track Satin aluminium

Length	Code
2000 mm	92-TT2000-SAA
3000 mm	92-TT3000-SAA
4000 mm	92-TT4000-SAA
6000 mm	92-TT6000-SAA



Face fixing



Face fixing bracket
Single and Double
(optional extra)


Single track fixing: TS200SB Double track fixing: TSFFB



Soffit
fixing

Bottom track Satin aluminium

Length	Code
2000 mm	10-60-BT2000-CA
3000 mm	10-60-BT3000-CA
4000 mm	10-60-BT4000-CA
6000 mm	10-60-BT6000-CA




The Runners Lifetime Guarantee covers the TommaSlide for 10years from purchase date, this covers normal use of the products in a domestic environment, for commercial environments our standard 12-month guarantee would apply. Please contact our customer service team for more information.

Tommaslide 300 specification

Bottom guides

Single bearing guide



Code: TS-SBG

Single guide



Code: TS-NG


Floor guide




Code: TS-FG
To suit doors
between
30 & 60 mm

Bottom guide options


Single bearing guide



Single guide



Floor guide
To suit doors between
30 & 60 mm




Bespoke pocket door options


Did you know that the Tommaslide 100, 200 and 300 can be used as a cost effective pocket door system?



Step 1: Select your track and fitting



Required top track



Optional bottom track

Full height bracket



Tommaslide 100 track
Page: 46

Or


FastFix bracket



Tommaslide 200 track
Page: 49

Tommaslide 300 track
Page: 53

Step 2: Choose your bottom guide



Single bearing guide

TS-SBG

Or



Single guide

TC-NG

Step 3: Build your wall around the system.